


jaga

CLIMATE DESIGNERS

Heating 

KNOCKONWOOD € 2021.EX



jaga

CLIMATE DESIGNERS

KNOCKONWOOD

Warm power, noble wood

- Subtle, timeless design, curved one piece wooden mantle with a high-grade veneer finish.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



design award
winner






KNOCKONWOOD



DIMENSIONS (in cm)



DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- casing in one piece with wooden cover in plywood with high-grade veneer and metal side panels in sandblast grey (001)
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

WOOD FINISHES

The wooden casing is finished with a scratch-resistant polyurethane varnish, satin mat, gloss degree 40%. High UV resistance.

Available from stock in height 055 and lengths from 060 to 140



700 Oak natural 740 Zebrano natural


CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)
 Ex. KNOW.030 060 06.xxx/60
 High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.
 Ex. KNOW.030 060 06.xxx/00
 For valve set prices see chapter "Connection sets & valves"

ORDERING CODE


code	height	length	type	colour
KNOW .	055	060	10 .	XXX
<i>fill in type of wood</i>				



CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



For Knockonwood type 06, use set 25

set 225

CODE 2-PIPE

	COLO.SW2.AW.4...	68,00
	COLO.SW2.JW.4...	74,00

<i>fill in sleeve coupling code</i>	
Precision metal tube 15/1	115
Precision metal tube 16/1	116
RPE/ALU tube 16/2	616
RPE/ALU tube 20/2	620

Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

KNOCKONWOOD

STANDARD RANGE

KNOW.HHH LLL TT.XXX

	STANDARD				TWIN			
	Type	Watts	Watts	€	Type	Watts	Watts	€
		75/65	55/45			75/65	55/45	
L	H 055							
060	10	660	319	715,00	11	718	333	810,00
	15	1001	488	761,00	16	1063	495	876,00
080	10	880	425	796,00	11	958	444	912,00
	15	1335	651	854,00	16	1418	660	998,00
100	10	1100	532	921,00	11	1197	555	1054,00
	15	1669	814	997,00	16	1772	825	1167,00
120	10	1320	638	1075,00	11	1436	666	1223,00
	15	2003	977	1163,00	16	2126	989	1352,00
140	10	1540	744	1209,00	11	1676	777	1368,00
	15	2337	1140	1307,00	16	2481	1155	1516,00


AVAILABLE ON REQUEST

Other wood finishes:

	
760 Maple natural	720 Beech natural
	
701 Oak bleached	721 Beech bleached
	
710 Mahogany	702 Oak wenge-colour
	
780 Walnut	

Other dimensions:

Height 030 and 090cm. Length 180 and 220 cm

 Not available per piece! For your personalized offer tel. 0032 11 29 41 12

EN442 output at 20°C room temperature

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from July 1, 2021.
Replaces all existing price lists.